



Evolution

The Graphic Tile Collection

Premium quality. Guaranteed



WWW.CONDOR-GROUP.EU




Evolution


The Graphic Tile Collection




Evolution 70




Evolution 74



Evolution 76



Evolution 77



Evolution 78





Evolution

The Graphic Tile Collection

General specifications

Tuft gauge	1/10 loop pile I						SO 2424
Pilecomposition	100% PA SDN						ISO 2424
Primary Backing	Non Woven						ISO 2424
Secondary backing	Bitumen						ISO 2424
Width	50 x 50 cm		± 0,2%			EN 986	
Pile Density	0,111 gr/cm ³						ISO 8543
Pile Weight	630 gr/m ²						ISO 8543
Total weight	4380 gr/m ²		± 15%			ISO 8543	
Pile height	3 mm						ISO 1765
Total Height	6 mm						ISO 1765
Number of knots	200.971/m ²		-7.5% . +10%			ISO 1763	
Fire Classification	Bfl-S1						EN 13501-I
Use Area	Heavy project use (33)						EN 1307
Sound Absorption Hz	125	250	500	1000	2000	4000	ISO 11654
	0.00	0.00	0.05	0.20	0.25	0.20	
Evaluated sound absorptions grade αW	0,15 αW						ISO 11654
Sound Insulation	Ca. 25 dB						ISO 10140
Thermal resistance	Ca. 0,07 M ² KW						ISO 8302
Light fastness	≥ 5						105-B02
Wearebility	≥ 4						105-X12
Water fastness	≥ 4						105-E01
Electrostatic charging	<2 kV						ISO 6356
Luxury class	LC3						EN 1307
Pictures	www.condorcontract.com						

Floorsymbols



Certificates



2018 Condor Carpets, Euroweg 3, 8061 SB Hasselt
 EN 1307 **DOP:** C-003RBE111 **Reaction to fire:** Bfl-s1 **Slip resistance:** DS
 EN 14041:2004
 Resilient floor covering to be used within a building

Condor Carpets bv

Euroweg 3, 8061 SB | P.O. Box 21, 8060 AA | Hasselt, The Netherlands
 T (+31) 38 477 89 11 | F (+31) 38 477 89 22 | info@condorcarpets.nl



WWW.CONDOR-GROUP.EU

