



Vapour

The Graphic Tile Collection

Premium quality. Guaranteed



WWW.CONDOR-GROUP.EU




Vapour

The Graphic Tile Collection




Vapour 20



Vapour 120



Vapour 51



Vapour 151



Vapour 42



Vapour 142



Vapour 70



Vapour 73



Vapour 74



Vapour 76



Vapour 77



Vapour 78



Vapour 80



Vapour 83





Vapour

The Graphic Tile Collection

General specifications

Tuft gauge	1/10 loop pile		ISO 2424				
Pilecomposition	100% PA SDN		ISO 2424				
Primary Backing	Non Woven		ISO 2424				
Secondary backing	Bitumen		ISO 2424				
Width	50 x 50 cm	± 0,2%	EN 986				
Pile Density	0,111 gr/cm ³		ISO 8543				
Pile Weight	795 gr/m ²		ISO 8543				
Total weight	4550 gr/m ²	± 15%	ISO 8543				
Pile height	3 mm		ISO 1765				
Total Height	7 mm		ISO 1765				
Number of knots	239.792/m ²	-7.5% . +10%	ISO 1763				
Fire Classification	Bfl-S1		EN 13501-I				
Use Area	Heavy project use (33)		EN 1307				
Sound Absorption Hz	125	250	500	1000	2000	4000	ISO 11654
	0,00	0,00	0,05	0,20	0,25	0,25	
Evaluated sound absorptions grade αW	0,15 αW		ISO 11654				
Sound Insulation	25 dB		ISO 10140				
Thermal resistance	Ca. 0.07 M ² KW		ISO 8302				
Light fastness	≥ 5		105-B02				
Wearebility	≥ 4		105-X12				
Water fastness	≥ 4		105-E01				
Electrostatic charging	<2 kV		ISO 6356				
Luxury class	LC3		EN 1307				
Pictures	www.condorcontract.com						

Floorsymbols



Certificates



2018 Condor Carpets, Euroweg 3, 8061 SB Hasselt
 EN 1307 **DOP:** C-003RBV269 **Reaction to fire:** Bfl-s1 **Slip resistance:** DS
 EN 14041:2004
 Resilient floor covering to be used within a building

Condor Carpets bv

Euroweg 3, 8061 SB | P.O. Box 21, 8060 AA | Hasselt, The Netherlands
 T (+31) 38 477 89 11 | F (+31) 38 477 89 22 | info@condorcarpets.nl



WWW.CONDOR-GROUP.EU

